




SyferLock Technology's Grid Data Security™ solutions

Next Generation One Time Passwords & Enhanced Authentication



SyferLock™



The Authentication Spectrum

Utilizing SyferLock's Approach to Cross and Cover the Authentication Spectrum

The story and problem are enduring for organizations and security conscious individuals: traditional reusable passwords are at the "breaking point", and no one solution seems to be adaptive enough, flexible enough and secure enough to help with the ever increasing and ever changing business cases and user needs. SyferLock Technology has created one of the most secure, adaptive and flexible systems to help address the "breaking point". Key features:

- Deviceless One Time Password Generation
- Zero Foot Print – No Additional Client-Side Hardware or Software
- Greatly Reduced TCO
- Highly Flexible, Adaptive and Customizable

Static/Reusable Password

2FA / Multi-factor



Static / Reusable Passwords and PINs

At one end of the authentication spectrum you have reusable passwords that are weak and vulnerable against the most prevalent and easily executed attacks.

Attempts to make them "limited time passwords" i.e. expire every 30,60,90 days add no real strength to the threat matrix, but add a real Total Cost of Ownership (TCO) burden to users and organizations.

Even with the known weaknesses static passwords are the most pervasive form of authentication for the majority of users.

2 Factor and/or Multi-Factor

At the other end of the spectrum you have 2 factor, or what has historically been called strong authentication.

While delivering increased strength from One Time Password generation and "having something", traditional hardware and the very nature of the "something you have" unfortunately create real limitations.

Heavy burden on TCO and limited deployment force organizations to go bare due to budget constraints even in the needs and mandates of regulatory bodies and guidelines (e.g. PCI, SOX, FFIEC, HIPAA, BASEL).


Also the challenge still exists to have a secure, un-intrusive "plan B" for lost, stolen, or broken devices.

The Authentication Spectrum

Utilizing SyferLock's Approach to Cross and Cover the Authentication Spectrum

Static/Reusable Password

2FA / Multi-factor



Filling the Void and Covering the Spectrum

SyferLock Technology's unique approach and methodology address the large part of the spectrum between insecure static/reusable passwords and costly, cumbersome two-factor solutions. SyferLock delivers proven, effective security through one time passwords or PINs, while allowing IT security a viable alternative to static passwords delivering greater information access control.

Unique Features of the Grid Data Security Solution

- Utilizes a user's existing password and organization's account directory
- Absolute zero client footprint and deviceless in nature
- Lower TCO and lightweight aspects allow for complete user coverage
- Bolsters and works in conjunction with other factors and security measures

Critical Security Benefits Delivered

Grid's OTP system eliminates or mitigates the following attacks:

- | | |
|-----------------------|--------------------------------------|
| * Key loggers | * Replay attacks |
| * Shoulder surfing | * Stored browser passwords |
| * Brute force attacks | * Dictionary attacks |
| * Phishing | * Password sniffing and interception |





The Patented Approach & Methodology

Next Generation One Time Passwords & Enhanced Authentication

SyferLock Technology delivers a family of patented products offering a paradigm shifting approach to next generation One Time Passwords (OTPs) and access to computers, networks and the internet. SyferLock has engineered an enhanced authentication methodology and system providing *deviceless* OTPs allowing Users with a simple, more secure way to access information leveraging their *existing* passwords.


Our solutions deliver unparalleled flexibility through a solution allowing for diverse and evolving authentication needs. The zero footprint aspect allows and provides *deviceless*, One Time Password generation without any extra client-side hardware or software – ANYWHERE, ANY MACHINE, MORE SECURELY™. Finally, the methodology allows the creation of a layered approach to current authentication processes: stand alone, or used in conjunction with other factors.

Utilize and Leverage the *Existing* Password


Grid starts with the first factor! Leverage the pervasive use of passwords. It is estimated that 99% of all authentications use static passwords or PINs. Another estimate shows that 95% of authentications use only the first factor of static passwords/PINs. Take the familiarity of a static password, allow the user to continue its use, but now use Grid's innovative system to convert the static password to a dynamic One Time Password consisting of a randomly changing string of numbers.

Grid accomplishes this One Time Password by the power and process of simple substitution. At log-in, substitute the real password with randomly changing numbers! A substitution cipher with the strength of one-to-many. It starts with a single cell that contains a letter or character (or the possibility of any other password character from which users can construct their passwords). Each character has a number (or cryptogram) that sits in each of the four corners of the cell. These cryptograms change at every login or at every screen, UI or page refresh (see below figures) In addition, the cryptograms are fully customizable from the value they display to where they are displayed (i.e. Corner or Position - North, South, East and West).


Login 1



Login 2



Login 3...




The Patented Approach & Methodology

Next Generation One Time Passwords & Enhanced Authentication

Account Setup - A Simple 2 Step Process

Step 1: The user will enter their existing domain password.




User ID:
Password: *

Step 2: The user now chooses which corner to use for substitution at login



User's Reusable Password becomes a One Time Password


At login, users simply refer to the security grid user interface¹. Looking at the keys corresponding to the characters of their password and the selected target corner, the user will enter the number of the target corner as their GridCode. Upon every refresh and/or new login, the corner numbers randomly change, creating a new one-time password.



¹ The grid user interface can be completely customized through MyGrid™ technology allowing a wide variety of layouts, designs, and languages and/or character sets.


Tuneable, Adaptive and Flexible Security


Next Generation One Time Passwords & Enhanced Authentication




Enter GridCode™:

[GridCode™ - How To?](#)

 Login

 Security Center

 Logout

1 2 3

4 5 6

7 8 9

◀ 0 CE

Choose MyGrid™

-default-

Apply


4	4	4	7	6	6	7	7	6	4	9	3	1	1	3	6	4	3	6	9
!	@	#	\$	%	^	&	*	()										
1	2	3	4	5	6	7	8	9	0										
9	4	3	1	0	7	6	6	4	9	3	9	9	6	0	3	0	4	9	3
4	7	4	9	7	9	6	6	3	6	1	3	0	7	0	3	1	7	4	1
A	B	C	D	E	F	G	H	I	J										
4	3	7	9	9	9	9	7	1	3	7	6	4	4	7	9	6	9	1	7
6	0	6	1	7	7	0	3	0	0	7	3	9	4	9	7	9	4	1	0
K	L	M	N	O	P	Q	R	S	T										
3	6	4	1	1	9	4	7	6	1	9	3	0	7	4	0	6	9	3	7
0	1	0	0	6	7	1	9	3	4	4	6	7	4	1	9	1	0	6	9
U	V	W	X	Y	Z	:	<	>	?										
6	7	4	0	3	4	9	1	6	4	9	6	4	4	0	1	6	3	0	0
3	6	7	4	9	1	1	6	3	4	4	7	1	0	9	0	3	1	4	3
a	b	c	d	e	f	g	h	i	j										
6	1	1	3	1	3	7	6	3	7	0	3	7	1	0	9	6	7	3	3
9	6	3	0	7	9	4	9	7	1	6	9	7	4	7	0	0	6	9	7
k	l	m	n	o	p	q	r	s	t										
4	4	9	7	0	3	1	4	0	9	7	0	9	1	9	6	1	7	7	1
6	3	0	9	0	3	1	1	7	9	3	1	3	1	0	4	0	7	4	3
u	v	w	x	y	z	;	,	.	/										
7	9	6	3	6	9	3	4	4	6	7	6	7	0	1	0	0	1	0	4

US Patent 7,143,440

SECURED BY grid

GridAdvanced™ Security Grid UI


The GridAdvanced solution allows greater endpoint security by offering a wide array of security features to its users.




Enter GridCode™:

[GridCode™ - How To?](#)

 Login

 Security Center

 Logout

1 2 3

4 5 6

7 8 9

◀ 0 CE

Choose MyGrid™

-default-

Apply

28	60	75	33	07	00	91	47	49	41	28
!	@	#	\$	%	^	&	*	()	
52	42	62	11	13	97	65	93	51	27	52
1	2	3	4	5	6	7	8	9	0	
59	05	73	92	90	96	98	30	38	74	59
A	B	C	D	E	F	G	H	I	J	
22	63	77	18	10	34	84	06	36	48	22
K	L	M	N	O	P	Q	R	S	T	
86	72	53	25	66	19	02	54	17	01	86
U	V	W	X	Y	Z	:	<	>	?	
99	40	32	03	31	56	71	78	24	20	99
a	b	c	d	e	f	g	h	i	j	
57	87	81	68	89	14	46	79	26	44	57
k	l	m	n	o	p	q	r	s	t	
69	58	21	29	85	12	88	15	67	76	69
u	v	w	x	y	z	;	,	.	/	
28	60	75	33	07	00	91	47	49	41	28

US Patent 7,143,440

SECURED BY grid

GridBasic™ Security Grid UI (shared corner version shown)

The GridBasic solution delivers key security benefits while making its integration and deployment straightforward and unintrusive.

Tuneable, Adaptive and Flexible Security

Next Generation One Time Passwords & Enhanced Authentication




The image shows the Grid2Form Security Grid UI. On the left, there is a login section with a background image of a sea turtle. It includes fields for 'Enter Password:' and 'Enter GridPIN:', a 'GridCode™ - How To?' link, and buttons for 'gridguard Login', 'Security Center', and 'Logout'. On the right, there is a 4x3 grid of numbers and symbols. The numbers are arranged in a way that they form a one-time password. The grid is secured by the 'grid' logo and has a US Patent 7,143,440.

9	3	9	8	6	1	8	8	8
6	1	7	3	2	0	1	3	8
5	5	0	8	6	9	6	2	1
2	2	5	4	8	4	7	2	8
2	4	3	8	5	9	8	6	2
4	0	5	9	3	3	2	4	7
2	7	2	6	9	6	1	1	0
0	7	1	7	8	5	4	9	2
8	7	4	2	8	6	3	9	2
0	5	7	5	0	2	3	4	3
9	*	8	2	0	4	5	#	6
7	1	8	0	2	2	1	8	8

US Patent 7,143,440

Grid2Form™ Security Grid UI


The Grid2Form solution allows two vectors to be utilized leveraging the user's password coupled with a one time PIN. Ideal for where PINs are used but enhanced security is warranted.

	EFFECTIVE SECURITY AGAINST	KEY FEATURE(S)
GridAdvanced™	<ul style="list-style-type: none">✓ Key Logging✓ Shoulder Surfing✓ Replay✓ Stored Browser Information✓ Session capture/observation✓ Brute Forcing	<ul style="list-style-type: none">- Advanced feature possibilities- Unparalleled zero footprint security- Endpoint security benefits
GridBasic™	<ul style="list-style-type: none">✓ Key Logging✓ Shoulder Surfing✓ Replay✓ Stored Browser Information✓ Brute Forcing	<ul style="list-style-type: none">- Ease of Integration
Grid2Form™	<ul style="list-style-type: none">✓ Key Logging✓ Shoulder Surfing✓ Replay✓ Stored Browser Information✓ Brute Forcing	<ul style="list-style-type: none">- Offers two vectors of security- Improves the security of static PINs



Completely Customizable for Optimal User Experience

Next Generation One Time Passwords & Enhanced Authentication



Alpha Landscape Security Grid UI

Enter GridCode™:

[GridCode™ - How To?](#)

[gridguard Login](#)

[Security Center](#)

[Logout](#)

1 2 3
4 5 6
7 8 9
0 CE

Choose MyGrid™
-default-

[Apply](#)


US Patent 7,143,440

grid

!	@	#	\$	%	^	&	*	()
1	2	3	4	5	6	7	8	9	0
A	B	C	D	E	F	G	H	I	J
K	L	M	N	O	P	Q	R	S	T
U	V	W	X	Y	Z	:	<	>	?
a	b	c	d	e	f	g	h	i	j
k	l	m	n	o	p	q	r	s	t
u	v	w	x	y	z	;	,	.	/

Alpha Landscape
Security Grid UI

Alpha Number Pad
Security Grid UI



Alpha Number Pad Security Grid UI

Enter GridCode™:

[GridCode™ - How To?](#)

[gridguard Login](#)

[Security Center](#)

[Logout](#)

1 2 3
4 5 6
7 8 9
0 CE

Choose MyGrid™
-default-

[Apply](#)

US Patent 7,143,440

grid

A	B	C	D	E	F	G	H	1	2	3
I	J	K	L	M	N	O	P	4	5	6
Q	R	S	T	U	V	W	X	7	8	9
Y	Z	<	>	/	?	;	:	*	0	#
a	b	c	d	e	f	g	h	!	@	\$
i	j	k	l	m	n	o	p	%	^	&
q	r	s	t	u	v	w	x	-	_	=
y	z	[]	{	}	<	>	'	"	+
\		~	,	.	£	space	¥	€	¢	

QWERTY
Security Grid UI



QWERTY Security Grid UI

Enter GridCode™:

[GridCode™ - How To?](#)

[gridguard Login](#)

[Security Center](#)

[Logout](#)

1 2 3
4 5 6
7 8 9
0 CE

Choose MyGrid™
-default-

[Apply](#)

US Patent 7,143,440

grid

~	!	@	#	\$	%	^	&	*	()	-	+
`	1	2	3	4	5	6	7	8	9	0	-	=
Q	W	E	R	T	Y	U	I	O	P	{	}	
A	S	D	F	G	H	J	K	L	:	"		
Z	X	C	V	B	N	M	<	>	?			
q	w	e	r	t	y	u	i	o	p	[]	\
a	s	d	f	g	h	j	k	l	;	'		
z	x	c	v	b	n	m	,	.	/			space

Completely Customizable for Optimal User Experience

Next Generation One Time Passwords & Enhanced Authentication



Enter GridCode™:

[GridCode™ - How To?](#)

[gridguard Login](#)

[Security Center](#)

[Logout](#)

1 2 3
4 5 6
7 8 9
0 CE

Choose MyGrid™
-default-

[Apply](#)


US Patent 7,143,440

grid

!	@	#	\$	%	^	&	*	()
1	2	3	4	5	6	7	8	9	0
A	B	Γ	Δ	E	Z	H	Θ	I	K
Λ	M	N	Ξ	O	Π	P	Σ	T	Υ
Φ	Χ	Ψ	Ω	:	"	~	<	>	?
α	β	γ	δ	ε	ζ	η	θ	ι	κ
λ	μ	ν	ξ	ο	π	ρ	ς	σ	τ
υ	φ	χ	ψ	ω	;	'	,	.	/

Greek
Security Grid UI

Arabic
Security Grid UI



Enter GridCode™:

[GridCode™ - How To?](#)

[gridguard Login](#)

[Security Center](#)

[Logout](#)

1 2 3
4 5 6
7 8 9
0 CE

Choose MyGrid™
-default-

[Apply](#)

US Patent 7,143,440

grid

!	@	#	\$	%	^	&	*	()
1	2	3	4	5	6	7	8	9	0
ض	ص	ث	ق	غ	ع	ء	خ	ح	ج
ش	س	ي	ب	ل	ا	ت	ن	م	ك
ط	ئ	ة	ف	ر	ى	ة	و	ز	ظ
،	إ	ة	؟	!	ئ	ژ	ز	ئ	آ
ى	گ	و	ث	۲	۳	۴	۵	۶	۷
۸	۹	:	<	>	?	;	,	.	/



Enter GridCode™:

[GridCode™ - How To?](#)

[gridguard Login](#)

[Security Center](#)

[Logout](#)

1 2 3
4 5 6
7 8 9
0 CE

Choose MyGrid™
-default-

[Apply](#)

US Patent 7,143,440

grid

ろ	ぬ	ふ	あ	う	え	お	や	ゆ	よ	わ	ほ	へ
た	て	い	す	か	ん	な	に	ら	せ	ゝ	ゞ	む
ち	と	し	は	き	く	ま	の	り	れ	け		
っ	さ	そ	ひ	こ	み	も	ね	る	め			
ロ	ヌ	フ	ア	ウ	エ	オ	ヤ	ユ	ヨ	ワ	ホ	ヘ
タ	テ	イ	ス	カ	ン	ナ	ニ	ラ	セ	ゝ	ゞ	ム
チ	ト	シ	ハ	キ	ク	マ	ノ	リ	レ	ケ		
ツ	サ	ソ	ヒ	コ	ミ	モ	ネ	ル	メ			

Japanese
Security Grid UI


SyferLock™



SyferLock Technology Products (as of April 2009)

Enhancing the Security of Key Applications

Securing Your Future with GridGuard Authentication System

Do you truly know who's accessing your information?

Unfortunately, security that leverages static, reusable passwords has proven easy for hackers to beat.

As more and more individuals are leveraging the flexibility of doing business (professionally and personally) from remote locations, the need for reliable and secure application access is essential. The GridGuard™ authentication system can provide this reliability and security as it is based upon something you know (a password) and something you know (a target corner or position) – providing an increased reliable level of user authentication than a static or reusable password. By converting your existing password into a secure one-time password (OTP), remote user will be protected against many common security threats.

- ✓ **Secure one-time password that changes at every login**
- ✓ **Anomaly detection through Account History**
- ✓ **Self Service approach providing significant decrease in help desk/support calls.**

SyferLock offers enterprises a range of user authentication options, helping to identify users before they interact with mission-critical data and applications through Remote Authentication (SSL VPN), Intranets & extranets, E-mail, Microsoft Windows Desktops, GridGuard Services (SDK, custom integrations).

Product	Description
GridOne™	The GridOne™ solution works within the guidelines of a portal environment, providing organizations a solution that is as easy to deploy and administer. With GridOne™, no interaction with a desktop is required—that is, no need for an install, therefore no client side software maintenance. Equally important, there are no tokens to manage. GridOne™ is a device-less solution where authentication can occur from anywhere a web URL is available.
GridGuard™	The GridGuard technology provides enhanced authentication for Remote Access, Outlook Web Access and SharePoint. Some of the supported remote access solutions include Juniper SA SSL VPN, AEP Netilla, Citrix Access Gateway, Connectra – Checkpoint and others. For further details on the solutions that GridGuard™ supports, contact SyferLock directly.
GridPro™	GridPro™ offers enterprises a solution for the personal computer leveraging a Microsoft Windows® operating system platform. This solution consists of a login application (replacing the standard Windows login) that presents a user with a Grid for authentication.
Grid Services	SyferLock offers an Software Developers Kit (SDK), as well as for those organizations where resources (time/people) are limited so developing off of the SDK is not an option, SyferLock can provide that service (customized solution). Custom solutions include, but not limited to JAAS, Servlet Filters and many more. For further details on our Grid Services, contact SyferLock directly.
Grid2Go™	Grid2Go is a two-factor authentication system based on SyferLock's patented authentication system and methodology. The system leverages current-generation "smart" mobile devices such as the BlackBerry and iPhone as the second factor in the authentication process.

SYSTEM REQUIREMENTS

Component	Memory	Disk Space	Additional Considerations
Grid Server	1GB Min	500 MB	Can reside on an existing hardware, with the Grid Web Server, Virtual image, etc
Grid Web Server	500 MB Min	200 MB	Can reside on existing Grid Server, Web Server, Virtual image, etc.
LDAP Proxy	500 MB Min	50 MB	Can reside on existing Grid Server, Web Server, Virtual image, etc.
User Directory	—	—	Reference the supporting documentation for system requirements.
Database (Login)	—	—	Reference the supporting documentation for system requirements.

PLATFORM SUPPORT

		PLATFORM	
		.Net	Java
Operating System <i>32 or 64 bit Support</i>	Windows Server 2003 Windows Server 2008 Linux UNIX (Solaris, AIX, HPUX)	✓ ✓	✓ ✓ ✓ ✓
Application/Web Server	IIS 6.0 ISA 6.0 Weblogic 9x Websphere 6x JBOSS 4x Tomcat 6.x	✓ ✓	✓ ✓ ✓ ✓ ✓
Framework	Microsoft .net Framework 2.0 or greater Java Runtime Environment 1.5 or greater	✓	✓
Database	SQL Server 2005 SQL Server 2008 MySQL SQL Express Oracle 10g Oracle 11g DB2 8.2 DB2 9.x	✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
Authentication Support / User Store	LDAP Active Directory IBM Directory Services / Tivoli Directory Services Postgres 2.5 or greater	✓ ✓	✓ ✓ ✓ ✓
Browser	IE 6.0 or Greater Firefox 3.x Chrome	✓ ✓ ✓	✓ ✓ ✓

* JAVA platform is J2EE compliant



SyferLock Technology Corporation

Company & Contact Information



SyferLock Technology Corporation

250 Pequot Avenue
Southport, CT 06890 USA
Phone 203-292-6268
Fax 203-292-5440
Email info@SyferLock.com
www.SyferLock.com & www.GridDataSecurity.com